
L Number	Hits	Search Text	DB	Time stamp
1	1704708	pars\$4 or decompos\$4 or divid\$4	USPAT; US-PGPUB; EPO; JPO;	2004/02/18 14:28
2	362	(pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/18 14:27
3	33	((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/18 14:04
4	11	(((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))) and column near3 index\$4	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 14:16
5	0	(((((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))) and column near3 index\$4) and partition\$4 same horizontal4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 14:06
6	0	(((((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))) and column near3 index\$4) and partition\$4 same horizontal\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:06
7	1	((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and partition\$4 same horizontal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:13
8	6	((((pars\$4 or decompos\$4 or divid\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and (dataindex\$4 or (data adj index\$4))) and column near3 index\$4) and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:17
9	27301	partition\$4 same horizontal\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:19
10	1	(partition\$4 same horizontal\$4) and (bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:13
11	536	(bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:16
12	174	((bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and column near3 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:20
13	36	(((bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and column near3 index\$4) and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:17

14	23	((((bitmap\$4 or (bit adj (map\$4 or wise))) near3 index\$4) and column near3 index\$4) and partition\$4) and compress\$6	USPAT; US-PGPUB;	2004/02/18 14:27
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	4957	partition\$4 near horizontal\$4	USPAT;	2004/02/18 14:22
			US-PGPUB;	
			EPO; JPO;	
•			DERWENT;	
100	5	Annahii and annah animantalda) and anluan annah industria	IBM_TDB	2004/02/40 44:22
16	5	(partition\$4 near horizontal\$4) and column near3 index\$4	USPAT;	2004/02/18 14:22
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	,
17	9571	partition\$4 near vertical\$4	USPAT;	2004/02/18 14:22
1	33	paradori riodi voldodi v	US-PGPUB;	200 1102 10 1 1.22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
18	19	(partition\$4 near vertical\$4) and column near3 index\$4	USPAT;	2004/02/18 14:22
			US-PGPUB;	
			EPO; JPO;	•
			DERWENT;	
40	١ .		IBM_TDB	0004/00/40 44 07
19	9	((partition\$4 near vertical\$4) and column near3 index\$4) and compress\$6	USPAT; US-PGPUB;	2004/02/18 14:27
		Compressão	EPO; JPO;	
			DERWENT;	
			IBM TDB	
20	5	(((partition\$4 near vertical\$4) and column near3 index\$4) and	USPAT;	2004/02/18 14:27
		compress\$6) and (bitmap\$4 or (bit adj (map\$4 or wise)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
21	5	((((partition\$4 near vertical\$4) and column near3 index\$4)	USPAT;	2004/02/18 14:28
		and compress\$6) and (bitmap\$4 or (bit adj (map\$4 or wise))))	US-PGPUB;	
		and (pars\$4 or decompos\$4 or divid\$4)	EPO; JPO;	
			DERWENT;	
22	5	(((((partition\$4 near vertical\$4) and column near3 index\$4)	IBM_TDB USPAT;	2004/02/18 14:28
	. 3	and compress\$6) and (bitmap\$4 or (bit adj (map\$4 or wise))))	US-PGPUB;	2004/02/10 14:28
		and (pars\$4 or decompos\$4 or divid\$4)) and (column or field	EPO; JPO;	
		or attribute)	DERWENT;	
		,	IBM TDB	



partition\$5) and columns!) and (707/\$.ccls. or 715/\$.ccls.))

EPO; JPO; DERWENT;

IBM_TDB

best al pertition

and pars\$5

14	197	(((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! same column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:23
15	3	(((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! same pars\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:24
16	197	(((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! and pars\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:24
17	32	((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! and pars\$6) and (707/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:51
18	16	(((((pars\$5 near3 (data or document or table or database or file or string)) and (data near (stream or strip))) and partition\$5) and columns! and pars\$6) and (707/\$.ccls. or 715/\$.ccls.)) and (cell or excel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:29
19	121	(cell or excel) with (pars\$5 near3 (data or document or table or database or file or string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:33
20	13	((cell or excel) with (pars\$5 near3 (data or document or table or database or file or string))) and partition\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:58
21	138	(cell or excel or spreadsheet or (spread adj sheet)) with (pars\$5 near3 (data or document or table or database or file or string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:33
22	14	((cell or excel or spreadsheet or (spread adj sheet)) with (pars\$5 near3 (data or document or table or database or file or string))) and partition\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 12:33
23	28	((cell or excel or spreadsheet or (spread adj sheet)) with (pars\$5 near3 (data or document or table or database or file or string))) and (707/\$.ccls. or 715/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:52
24	2	(((cell or excel) with (pars\$5 near3 (data or document or table or database or file or string))) and partition\$5) and partition\$5 same column	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 12:59
25	18577	partition\$5 same column	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 12:59
26	9859	(partition\$5 same column) and (pars\$5 or decompos\$6 or divid\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:59

		<u></u>	
25			2004/02/18 13:01
]	divid\$4)) and (data near (stream or strip)) with column	US-PGPUB;	
		EPO; JPO;	
		DERWENT;	
		IBM TDB	
15	(((partition\$5 same column) and (pars\$5 or decompos\$6 or	USPAT:	2004/02/18 13:03
l 0	(pars\$4 or decompos\$4 or divid44) and partition\$4 and (data		2004/02/18 13:04
			200 02
]	The transfer of the transfer o		
629	(pars\$4 or decompos\$4 or divid44) and partition\$4 and (data		2004/02/18 13:08
323			200 1021 10 10.00
	l local (diream or direy), and dempressive and neader		
	•		
14	((pars\$4 or decompos\$4 or divid44) and partition\$4 and (data	_	2004/02/18 13:07
			200 17027 10 10.07
	(masker mane continuity		
4440	index\$5 near3 column	_	2004/02/18 13:07
1			
159	(index\$5 near3 column) and b adi tree		2004/02/18 13:08
	i i i i i i i i i i i i i i i i i i i		
	•		
4	((index\$5 near3 column) and b adi tree) and (pars\$4 or		2004/02/18 13:08
1			
	(20.22 2. 20.p/) with both probable with thousan		
		IBM TDB	
	15 0 629 14 4440	divid\$4)) and (data near (stream or strip)) with column (((partition\$5 same column) and (pars\$5 or decompos\$6 or divid\$4)) and (data near (stream or strip)) with column) and compress\$6 (pars\$4 or decompos\$4 or divid44) and partition\$4 and (data near (stream or strip)) and compress44 and header (pars\$4 or decompos\$4 or divid44) and partition\$4 and (data near (stream or strip)) and compress\$6 and header ((pars\$4 or decompos\$4 or divid44) and partition\$4 and (data near (stream or strip)) and compress\$6 and header) and (index\$5 near3 column) index\$5 near3 column (index\$5 near3 column) and b adj tree	divid\$4)) and (data near (stream or strip)) with column ((((partition\$5 same column) and (pars\$5 or decompos\$6 or divid\$4)) and (data near (stream or strip)) with column) and compress\$6 ((((() partition\$5 same column) and (pars\$5 or decompos\$6 or divid\$4)) and (data near (stream or strip)) with column) and compress\$6 ((() pars\$4 or decompos\$4 or divid\$4) and partition\$4 and (data near (stream or strip)) and compress\$6 and header ((() pars\$4 or decompos\$4 or divid\$4) and partition\$4 and (data near (stream or strip)) and compress\$6 and header ((() pars\$4 or decompos\$4 or divid\$4) and partition\$4 and (data near (stream or strip)) and compress\$6 and header ((() pars\$4 or decompos\$4 or divid\$4) and partition\$4 and (data near (stream or strip)) and compress\$6 and header) and (index\$5 near3 column) ((() pars\$4 or decompos\$4 or divid\$4) and partition\$4 and (data near (stream or strip)) and compress\$6 and header) and (index\$5 near3 column) (() pars\$4 or decompos\$4 or divid\$4) and partition\$4 and (data near (stream or strip)) and b adj tree) (() pars\$4 or decompos\$4 or divid\$4] and partition\$4 and (data near (stream or strip)) and b adj tree) (() pars\$4 or decompos\$4 or divid\$4] and partition\$4 and (data near (stream or strip)) and compress\$6 and header) (() pars\$4 or decompos\$4 or divid\$4] and partition\$4 and (data near (stream or strip)) and compress\$6 and (pars\$4 or decompos\$4 or divid\$4] and partition\$4 and (pars\$4 or decom

I Number	Hits	Search Text	DB	Time stamp
L Number	228	column adj file	USPAT;	2004/02/18 09:27
] '	220	Column adjine	US-PGPUB;	2004/02/10 00:27
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
ا ا	64	(column adj file) and 707/\$.ccls.	USPAT;	2004/02/18 09:27
2	04	(Column adj me) and 7077\$.CGS.	US-PGPUB;	200-702710 03.27
	,		EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
4	8677	"31" and 707/\$.ccls.	USPAT;	2004/02/18 09:27
"	3077		US-PGPUB;	200-70270 00.27
			EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
5	11	(column adj files! or column-files!) and 707/\$.ccls.	USPAT;	2004/02/18 09:53
3	''		US-PGPUB;	2004/02/10 05:55
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	46	column adj files! or column-files!	USPAT;	2004/02/18 09:42
3	40	Column auj mes: or column-mes:	US-PGPUB;	2007/02/10 03.42
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
7		(deflet\$4 peer4 electithm) and pers\$4 and partition\$4	USPAT:	2004/02/18 09:55
7	2	(deflat\$4 near4 algorithm) and pars\$4 and partition\$4	US-PGPUB;	2004/02/10 09.55
1			EPO; JPO;	
			DERWENT;	
			•	
	40	defined a send of continue	IBM_TDB USPAT;	2004/02/18 09:52
6	48	deflat\$4 near4 algorithm		2004/02/10 09.52
			US-PGPUB;	
	1		EPO; JPO;	
1			DERWENT;	
	40	(deflete a contained and (determined attention)	IBM_TDB USPAT;	2004/02/18 09:56
8	12	(deflat\$4 near4 algorithm) and (data near (stream or strip))		2004/02/16 09.56
			US-PGPUB;	İ
			EPO; JPO; DERWENT;	
			· ·	
		(/d-8-404	IBM_TDB	2004/02/18 09:54
9	2	((deflat\$4 near4 algorithm) and (data near (stream or strip)))	USPAT;	2004/02/10 09.54
		and run near2 length	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
10		(/deflet\$4 poor4 place;thm) and (data near (atracam or atria)))	USPAT;	2004/02/18 09:51
10	4	((deflat\$4 near4 algorithm) and (data near (stream or strip)))		2004/02/10 09.51
İ		and column	US-PGPUB;	1
1			EPO; JPO;	
			DERWENT;	
144	_		IBM_TDB	2004/02/19 00:52
11	7	((deflat\$4 near4 algorithm) and (data near (stream or strip)))	USPAT;	2004/02/18 09:53
		and (columns! or fields! or attributes!)	US-PGPUB;	
			EPO; JPO;	1
1		<u> </u>	DERWENT;	
1.0		1.0.104. 21	IBM_TDB	2004/02/49 00:52
12	111	deflat\$4 with column	USPAT;	2004/02/18 09:53
1			US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
1.0		(1.0-04 : 111)	IBM_TDB	2004/00/40 00:50
13	1	(deflat\$4 with column) and 707/\$.ccls.	USPAT;	2004/02/18 09:59
	1		US-PGPUB;	
			EPO; JPO;	
1		1	DERWENT;	
	<u> </u>	<u> </u>	IBM_TDB	l

			,	
14	163	deflat\$4 same (columns! or fields! or attributes!)	USPAT; US-PGPUB;	2004/02/18 09:57
		·	EPO; JPO;	
	1		DERWENT;	
1			IBM_TDB	
15	2	(deflat\$4 same (columns! or fields! or attributes!)) and	USPAT;	2004/02/18 09:54
		707/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
1.0			IBM_TDB	
16	4	(deflat\$4 same (columns! or fields! or attributes!)) and run	USPAT;	2004/02/18 09:54
		near2 length	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
18	2	((deflat\$4 same (columns! or fields! or attributes!)) and	USPAT:	2004/02/18 09:59
1.0	-	compress\$6) and pars\$4 and partition\$4	US-PGPUB;	2004/02/10 03:33
		compression and parety and partition of	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
19	3	((deflat\$4 same (columns! or fields! or attributes!)) and	USPAT;	2004/02/18 09:55
		compress\$6) and pars\$4	US-PGPUB;	
Ì			EPO; JPO;	
			DERWENT;	
l			IBM_TDB	
17	66	(deflat\$4 same (columns! or fields! or attributes!)) and	USPAT;	2004/02/18 09:56
		compress\$6	US-PGPUB;	
			EPO; JPO;	
:	•		DERWENT;	
20	13	((deflat\$4 same (columns! or fields! or attributes!)) and	IBM_TDB	2004/02/49 00:50
20	13	((deflat)4 same (columns: or neids: or altributes:)) and compress\$6) and (database or table)	USPAT; US-PGPUB;	2004/02/18 09:59
		compression and (database of table)	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
21	0	(deflat\$4 same (columns! or fields! or attributes!)) and	USPAT;	2004/02/18 10:11
		382/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
22	2481	deflat\$4 and (columns! or fields! or attributes!)	USPAT;	2004/02/18 09:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
23	9	(deflat\$4 and (columns! or fields! or attributes!)) and	IBM_TDB	2004/02/18 09:57
		(denata4 and (columns) or fields) or attributes()) and 382/\$.ccls.	USPAT; US-PGPUB;	2004/02/18 09:5/
		- ουω ψ.ουισ.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	'
24	8062	compress\$6 and (columns! or fields! or attributes!) and (data	USPAT;	2004/02/18 10:09
		adj (stream or strip))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
25	485	(compress\$6 and (columns! or fields! or attributes!) and (data	USPAT;	2004/02/18 10:09
		adj (stream or strip))) and (database and relational)	US-PGPUB;	
ļ			EPO; JPO;	
1			DERWENT;	
26	113	((compress\$6 and (columns! or fields! or attributes!) and (data	IBM_TDB	2004/02/49 00:50
	''3	adj (stream or strip))) and (database and relational)) and	USPAT; US-PGPUB;	2004/02/18 09:59
		707/\$.ccls.	EPO; JPO;	
]		, , , , , , , , , , , , , , , , , , ,	DERWENT;	
1			IBM_TDB	
<u> </u>			ן וטוון וויטו	

27	32	(((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip))) and (database and relational)) and 707/\$.ccls.) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:15
28	27	((((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip))) and (database and relational)) and 707/\$.ccls.) and pars\$4 and partition\$4) and row and column	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 10:01
29	3	(((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip))) and (database and relational)) and 707/\$.ccls.) and (pars\$4 and partition\$4) with (column or field or group\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 10:07
30	1	(((compress\$6 and (columns! or fields! or attributes!) and (data adj (stream or strip))) and (database and relational)) and 707/\$.ccls.) and (pars\$4 and partition\$4) with (column)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 10:07
31	15	(pars\$4 and partition\$4) with (column)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 10:09
32	5800	(pars\$4 and partition\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:12
33	870	((pars\$4 and partition\$4)) and (database and relational)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 10:16
34	57	(((pars\$4 and partition\$4)) and (database and relational)) and compress\$6 and (columns! and row) and (data adj (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:29
35	27	((((pars\$4 and partition\$4)) and (database and relational)) and compress\$6 and (columns! and row) and (data adj (stream or strip))) and (707/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:22
36	37	((((pars\$4 and partition\$4)) and (database and relational)) and compress\$6 and (columns! and row) and (data adj (stream or strip))) and pars\$4 with (table or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:15
37	4832	pars\$4 with (table or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:21
38	1293	(pars\$4 with (table or database)) and columns!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:15
39	343	((pars\$4 with (table or database)) and columns!) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:23

40	164	(((pars\$4 with (table or database)) and columns!) and pars\$4 and partition\$4) and (database and relational)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 10:31
41	37	((((pars\$4 with (table or database)) and columns!) and pars\$4 and partition\$4) and (database and relational)) and compress\$6 and (columns! and row) and (data adj (stream or strip))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 10:17
42	54	((((pars\$4 with (table or database)) and columns!) and pars\$4 and partition\$4) and (database and relational)) and (columns! and row) and (data adj (stream or strip))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 10:17
43	137	pars\$4 with (table or database) with column	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:25
44	78	(pars\$4 with (table or database) with column) and (707/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:27
45	10	((pars\$4 with (table or database) with column) and (707/\$.ccls. or 382/\$.ccls.)) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:27
46	359	pars\$4 with (table or database) with (columns! or fields!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:26
47	359	pars\$4 with (table or database) with ((columns! or fields!) or (column adj file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:28
48	135	(pars\$4 with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 10:28
49	21	((pars\$4 with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)) and pars\$4 and partition\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/18 10:31
50	966	(decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:28
51	265	((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:28
52	2	(((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls. or 382/\$.ccls.)) and compress\$6 and (columns! and row) and (data adj (stream or strip))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:30

53	2	(((decompos\$4 or divid\$6 or pars\$4) with (table or database) with ((columns! or fields!) or (column adj file))) and (707/\$.ccls.	USPAT; US-PGPUB:	2004/02/18 10:30
		or 382/\$.ccls.)) and compress\$6 and (columns!) and (data adj	EPO; JPO;	
		(stream or strip))	DERWENT:	
		(6.00.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	IBM TDB	
54	38	(((decompos\$4 or divid\$6 or pars\$4) with (table or database)	USPAT;	2004/02/18 10:31
		with ((columns! or fields!) or (column adj file))) and (707/\$.ccls.	US-PGPUB;	
		or 382/\$.ccls.)) and pars\$4 and partition\$4	EPO; JPO;	
*			DERWENT;	
			IBM_TDB	
55	38	((((decompos\$4 or divid\$6 or pars\$4) with (table or database)	USPAT;	2004/02/18 10:31
		with ((columns! or fields!) or (column adj file))) and (707/\$.ccls.	US-PGPUB;	
		or 382/\$.ccls.)) and pars\$4 and partition\$4) and (columns! or	EPO; JPO;	ļ
		fields!)	DERWENT;	
56	26	((((decompos\$4 or divid\$6 or pars\$4) with (table or database)	IBM_TDB USPAT;	2004/02/18 10:31
30	20	with ((columns! or fields!) or (column adj file))) and (707/\$.ccls.	US-PGPUB:	2004/02/10 10.31
		or 382/\$.ccls.)) and pars\$4 and partition\$4) and (columns!)	EPO; JPO;	
		or completely and parour and paramornum and (conditions)	DERWENT:	
		·	IBM TDB	
57	22	(((((decompos\$4 or divid\$6 or pars\$4) with (table or database)	USPAT;	2004/02/18 10:32
		with ((columns! or fields!) or (column adj file))) and (707/\$.ccls.	US-PGPUB;	
		or 382/\$.ccls.)) and pars\$4 and partition\$4) and (columns!))	EPO; JPO;	
		and (database and relational)	DERWENT;	
			IBM TDB	

				
L Number	Hits	Search Text	DB	Time stamp
1	0	((pars\$5 or devid\$4) near4 (table or database or relation))	USPAT;	2004/02/18 08:26
		near5 ("into" adj (columns! or fields! or attributes!))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
2	. 0	((pars\$5 or divid\$4) near4 (table or database or relation))	USPAT;	2004/02/18 08:51
		near5 ("into" adj (columns! or fields! or attributes!))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	004	.,	IBM_TDB	
3	394	((pars\$5 or divid\$4) near4 (table or database or relation))	USPAT;	2004/02/18 08:26
		near5 ((columns! or fields! or attributes!))	US-PGPUB;	
			EPO; JPO;	
ŀ			DERWENT;	
	104	///norace or divided) norac (table or detabase or relation))	IBM_TDB	2004/02/49 00:20
4	104	(((pars\$5 or divid\$4) near4 (table or database or relation))	USPAT;	2004/02/18 08:39
		near5 ((columns! or fields! or attributes!))) and 707/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
5	21	(((pare\$5 or divid\$4) poor4 (table or detabase or relation))	IBM_TDB	2004/02/49 09:20
5	21	(((pars\$5 or divid\$4) near4 (table or database or relation)) near5 ((columns! or fields! or attributes!))) and (ROI! or	USPAT;	2004/02/18 08:38
			US-PGPUB;	
		OLAP!)	EPO; JPO;	
			DERWENT;	
6	0	(((nors\$5 or divid\$4) noor4 (table or detabase or relation))	IBM_TDB	2004/02/49 09:27
	U	(((pars\$5 or divid\$4) near4 (table or database or relation)) near5 ((columns! or fields! or attributes!))) and (ROI!)	USPAT;	2004/02/18 08:37
		Hears ((columns: or fields: or attributes:))) and (ROI:)	US-PGPUB; EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
7	4558	ROI!	USPAT;	2004/02/18 08:32
' '	4000	i Koi:	US-PGPUB;	2004/02/10 00.32
			EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
8	35	ROI! and 707/\$.ccls.	USPAT:	2004/02/18 08:34
			US-PGPUB;	20002 10 00.01
	•		EPO; JPO;	
			DERWENT;	
			IBM_TDB	,
9	1287	row-column	USPAT;	2004/02/18 08:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	43	row-column and 707/\$.ccls.	USPAT;	2004/02/18 08:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
, ,			IBM_TDB	
11	0	row-column and (pars\$5 or divid\$4) near6 ("into" adj	USPAT;	2004/02/18 08:35
		columns!)	US-PGPUB;	
j			EPO; JPO;	[
ļ. i			DERWENT;	
42		The section of the se	IBM_TDB	
12	40	row-column and (pars\$5 or divid\$4) near6 (columns!)	USPAT;	2004/02/18 08:39
			US-PGPUB;	
	'		EPO; JPO;	
			DERWENT;	
42	_	(source) and (needs or distant) and (set or more	IBM_TDB	0004/004/000
13	5	(row-column and (pars\$5 or divid\$4) near6 (columns!)) and	USPAT;	2004/02/18 08:36
		707/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	L

14	0	((row-column and (pars\$5 or divid\$4) near6 (columns!)) and 707/\$.ccls.) and (ROI!)	USPAT; US-PGPUB; EPO; JPO;	2004/02/18 08:37
			DERWENT; IBM_TDB	
15	2	((row-column and (pars\$5 or divid\$4) near6 (columns!)) and 707/\$.ccls.) and (ROI! or OLAP!)	USPAT; US-PGPUB; EPO; JPO;	2004/02/18 08:38
,			DERWENT; IBM_TDB	
16	101	row-column and (column near (format or form))	USPAT; US-PGPUB; EPO; JPO;	2004/02/18 08:38
			DERWENT; IBM_TDB	
17	24	(row-column and (column near (format or form))) and 707/\$.ccls.	USPAT; US-PGPUB;	2004/02/18 08:39
			EPO; JPO; DERWENT; IBM_TDB	
18	5	((row-column and (column near (format or form))) and	USPAT;	2004/02/18 08:47
		707/\$.ccls.) and (pars\$5)	US-PGPUB; EPO; JPO;	
		·	DERWENT; IBM TDB	
19	227	(pars\$5) near7 column	USPAT;	2004/02/18 08:43
			US-PGPUB; EPO; JPO;	
		·	DERWENT; IBM_TDB	
20	36	((pars\$5) near7 column) and (data near (stream or strip))	USPAT; US-PGPUB;	2004/02/18 08:45
			EPO; JPO; DERWENT; IBM_TDB	·
21	8	((pars\$5) near7 column) and (data near (stream or strip)) same column	USPAT; US-PGPUB;	2004/02/18 08:48
			EPO; JPO; DERWENT; IBM TDB	
22	62053	pars\$5	USPAT; US-PGPUB;	2004/02/18 08:47
		·	EPO; JPO; DERWENT;	
23	3860	pars\$5 and 707/\$.ccls.	IBM_TDB USPAT;	2004/02/18 08:51
			US-PGPUB; EPO; JPO;	23002 10 00.01
		·	DERWENT;	
24	30	(pars\$5 and 707/\$.ccls.) and (data near (stream or strip))	IBM_TDB USPAT;	2004/02/18 08:51
		same column	US-PGPUB; EPO; JPO;	·
			DERWENT; IBM_TDB	
25	15162	((pars\$5 or divid\$4) near4 (table or database or relation))	USPAT; US-PGPUB; EPO; JPO;	2004/02/18 08:51
			DERWENT; IBM_TDB	
26	1487	(((pars\$5 or divid\$4) near4 (table or database or relation))) and 707/\$.ccls.	USPAT; US-PGPUB;	2004/02/18 08:54
			EPO; JPO; DERWENT;	
L	l	<u> </u>	IBM_TDB	l

27	19	((((pars\$5 or divid\$4) near4 (table or database or relation)))	USPAT;	2004/02/18 08:54
		and 707/\$.ccls.) and (data near (stream or strip)) with	US-PGPUB;	
		(columns! or fields! or attributes!)	EPO; JPO;	
		•	DERWENT;	,
			IBM_TDB	
28	1881	pars\$5 near9 (columns! or fields! or attributes!)	USPAT;	2004/02/18 08:54
	İ	,	US-PGPUB;	
]	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
29	86	(pars\$5 near9 (columns! or fields! or attributes!)) and (data	USPAT;	2004/02/18 08:57
	}	near (stream or strip)) with (columns! or fields! or attributes!)	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
30	18	((pars\$5 near9 (columns! or fields! or attributes!)) and (data	USPAT;	2004/02/18 08:57
]		near (stream or strip)) with (columns! or fields! or attributes!))	US-PGPUB;	
		and 707/\$.ccls.	EPO; JPO;	
1		·	DERWENT;	
			IBM_TDB	·
31	4649	partition\$4 near6 column	USPAT;	2004/02/18 08:57
	ļ		US-PGPUB;	
	i		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
32	161	(partition\$4 near6 column) and 707/\$.ccls.	USPAT;	2004/02/18 08:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
33	3	((partition\$4 near6 column) and 707/\$.ccls.) and (data near	USPAT;	2004/02/18 08:59
		(stream or strip)) with (columns! or fields! or attributes!)	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	0004/00/40 00 70
34	2	addamark.as.	USPAT;	2004/02/18 08:59
			US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
1	1	l .	I IBM TDB	